

Solutions pour Clôture Style équestre



adm@slaroche.com

Équipements



S L A R O C H E . C O M

(418) 728 -2288 | 1-855-728-2288

Clôture Flexible 5,25" - 3 broches

Get the traditional look
without all the maintenance!




TESTIMONIAL

"The most important criteria we were looking for in a fencing system were warranty, durability and low-maintenance. We found that System's Flex Fence met and exceeded all of our standards."

*Ray & Kim Kahoe
Hangar Haven Farm
Janetville, Ontario*

SLAROCHE.COM
1-855-728-2288

Clôture Flexible 5,25" – 3 broches



- 5.25" rail with 3 - 12.5 gauge pre-straightened wires
- 4500 lbs. break strength per rail
- Never paint this rail - polyethylene rail
- Bonded wire
- UV protected
- Less tension required - easier installation
- Rail slides on impact - no pressure points on line posts or rail
- Longest warranty -for Flex rail
- Looks like a board fence - aesthetically beautiful!

☐ WHITE
 ☐ BLACK
 ☐ BROWN

5.25" FLEX-FENCE KITS

DESCRIPTION	LENGTH	ITEM#	WEIGHT
5.25" FLEX-FENCE KIT White, Black, Brown	660 FT. ROLL	5FR-K	180 lbs
5.25" FLEX-FENCE KIT White, Black, Brown	330 FT. ROLL	5FR-K	90 lbs

Hardware included with one 660' roll of Flex-Fence: 56 galvanized metal powder coated brackets, 112 - 2" stainless steel screws, 2 - spoolers. Freight F.O.B. Rockwood, ON.

ACCESSORIES

DESCRIPTION	ITEM#	UDM	WEIGHT
5.25" FLEX - 660' ROLL (W, BL, BR)	5FR	EA	155 lbs
5.25" FLEX - 330' ROLL (W, BL, BR)	5FR	EA	72 lbs
5.25" SPOOLER (W, BL, BR) (pins included)	5S (W,BL,BR)	EA	1 lb
5.25" BRACKETS (W, BL, BR)	5B (W,BL,BR)	EA	0.3 lb
5.25" INSIDE CORNER BRACKET (W,BL,BR)	5IC (W,BL,BR)	EA	0.3 lb
5.25" END BUCKLE (W, BL, BR)	5EB (W,BL,BR)	EA	2 lbs
5.25" SPLICE BUCKLE (W, BL, BR)	5SB (W,BL,BR)	EA	2 lbs
5.25" BENDING TOOL	5BT	EA	1 lb
2" STAINLESS STEEL SCREWS	SCREWSS2	EA	**
3.5" NAILS	N3	EA	**
2" STAPLE-BARBED	SLB	LB	**

Spooler (wht)




Bracket (wht)



Inside Bracket (wht)



End Buckle (wht)



Splice Buckle (blk)



Bending Tool



SYSTEM TIP

Flex Fence Brackets are made for the rail to slide through like a belt loop, do not nail or staple through the rail.




SYSTEM SUGGESTIONS...



Protect your Flex Fence and your fence posts with a strand of electric fence.



Clôture Flexible 4,25" – 3 broches



Looks just like
a board fence!



TESTIMONIAL

"I am very impressed with the Flex Fence I installed last fall. It survived the "north of 60" torture test up here in Yellowknife throughout the winter and spring. Considering our extreme temperatures and permafrost which can wreak havoc with fence posts, the Flex Fence has been amazing. Tensioning it periodically takes only a few minutes. It retains its appearance, the horses don't chew on it, and when they bump into it while playing, it gives a little. It's an excellent product. Thanks for your continued great service, too!"

*Alex Hampson, Sundog Stables
Yellowknife, Northwest Territories*

SLAROCHE.COM
1-855-728-2288

Clôture Flexible 4,25'' - 3 broches



- 4.25" rail with 3 - 12.5 gauge pre-straightened wires
- 3,200 lbs. break strength per rail
- Never paint - saves you money and labour
- UV protected
- Spoolers tension fence with ease - low price, faster installation
- Rail slides on impact - no pressure points on line posts or rail
- Long warranty
- Looks like a board!

☐ WHITE
 ☐ BLACK
 ☐ BROWN

4.25" FLEX-FENCE KITS

DESCRIPTION	LENGTH	ITEM#	WEIGHT
4.25" FLEX-FENCE KIT White, Black, Brown	660 FT. ROLL	4FR-K	140 lbs
4.25" FLEX-FENCE KIT White, Black, Brown	330 FT. ROLL	4FR-K	75 lbs

Hardware included with one 660' roll of Flex-Fence: 56 galvanized metal powder coated brackets, 112 - 2" stainless steel screws, 2 - spoolers. Freight F.O.B. Rockwood, ON.

ACCESSORIES

DESCRIPTION	ITEM#	UDM	WEIGHT
4.25" FLEX - 660' ROLL (W,BL, BR)	4FR	EA	125 lbs
4.25" FLEX - 330' ROLL (W,BL, BR)	4FR	EA	65 lbs
4.25" SPOOLER (W,BL, BR) (pins included)	4S (W,BL, BR)	EA	1 lb
4.25" BRACKET (W,BL, BR)	4B (W,BL, BR)	EA	0.25 lb
4.25" INSIDE BRACKET (W,BL, BR)	4IC (W,BL, BR)	EA	0.25 lb
4.25" END BUCKLE (W,BL, BR)	4EB (W,BL, BR)	EA	2 lbs
4.25" SPLICE BUCKLE (W,BL, BR)	4SB (W,BL, BR)	EA	2 lbs
4.25" BENDING TOOL	4BT	EA	1lb
2" STAINLESS STEEL SCREWS	SCREWSS2	EA	**
3.5" NAILS	N3	EA	**
2" STAPLE-BARBED	SLB	LB	**

Spooler (blk)



Bracket (blk)



Inside Bracket (wht)



End Buckle (wht)



Splice Buckle (blk)



Bending Tool



SYSTEM TIP

Using Electric with your fence system will keep your fence looking like new longer.



SYSTEM SUGGESTIONS...



Put the finishing touches on your fence by using our durable Fence paint specifically designed for wood posts and rails. See page 31 for details.



Clôture Flexible 4,25" – 2 broches



- 2, 12.5-gauge pre-straightened, high tensile steel wires molecularly bonded to polyethylene plastic.
- 2,200 lbs. break strength per rail
- Low-maintenance fencing saves you time and money
- Economical Affordable Price
- UV Protected
- Never paint this rail


WHITE
 BLACK
 BROWN

4.25" 2-WIRE FLEX-FENCE KITS

DESCRIPTION	LENGTH	ITEM#	WEIGHT
4.25" FLEX-FENCE KIT Wht, Blk, Brn	660 FT. ROLL	4FR2W-K	140 lbs
4.25" FLEX-FENCE KIT Wht, Blk, Brn	330 FT. ROLL	4FR2W-K	75 lbs

Hardware included with one 660' roll of Flex-Fence: 56 galvanized metal powder coated brackets, 112 - 2" stainless steel screws, 2 - spoolers. Freight F.O.B. Rockwood, ON.

1" FLEX FENCE



- 2 - 16 gauge wires - 1500 lbs. break strength per rail
- Gives high visibility - Add to existing fence or use alone!
- White, Black, or Brown
- Economical - affordable price
- Quality Rail for combination fence



1" Flex-Flex Staples
1 1/4" x 2" staple for 1" Flex
Item# 1BW - 56/bag (3lb)



End Fence Tensioners
Used to tension fence lines. Tension is applied with a 1/2" ratchet.
Item# TEN1

1" FLEX-FENCE KITS

DESCRIPTION	LENGTH	ITEM#	WEIGHT
1" FLEX-FENCE KIT Wht, Blk, Brn	660 FT. ROLL	1FR(W,Bl,Br)	95 lbs

Hardware included with one 660' roll of 1" Flex-Fence: 56 1" galvanized staples, 2 tensioners, 2 - 3.5" nails. Freight F.O.B. Rockwood, ON.

SLAROCHE.COM
1-855-728-2288

Broche recouverte 1/4" ~~électricité~~



- 1350 lbs break strength per rail
- 12.5 gauge wire
- Rail flexes on impact, goes back to original shape
- Visibility - use with existing fence
- Use for pasture or cross fence

☐ WHITE
 ☐ BLACK
 ☐ BROWN



2" Barbed Staple
Attaches coated wire to fence posts.
Item# SLB
(44 staples/lb.)



End Fence Tensioner
Used to tension fence with 1/2" ratchet.
Item# TEN1



Wire Link
Used to splice 2 ends of coated wire fence.
Item# WL



Wire Vice
Used to tension 12 ga. fence that runs under 100'.
Tensioning tool required.
Item# WV

DESCRIPTION	LENGTH	ITEM#	WEIGHT
1/4" + COATED WIRE Wht, Blk, Brn	1320 FT. ROLL	SSW(BL,BR)K	70 lbs

Hardware included with one 1320' roll of Coated Wire: 3 lbs. barbed staples. Freight F.O.B. Rockwood, ON.

Broche recouverte 1/4" ⚡ électricité



- Electric combined with high break strength
- 1350 lbs break strength per rail
- 12.5 gauge hi-tensile steel wire
- Requires tension on rail
- Use with insulator tube
- Highly visible

☐ WHITE
 ☐ BLACK
 ☐ BROWN

See page 18-19 for full line of insulators.



4" Insulator Tube
Used when attaching hotcote to fence posts.
Item# IHC4(W,B)100
100/bag



Inline Fence Tensioner
Used to tension hotcote fence.
Item# TIL



Crimp Sleeves
Joins hotcote. Requires crimping tool.
Item# CS100
100/bag



Corner/End Tube Insulator
For hotcote corners and ends, cut to length.
Item# IHCT (W,B)
100' roll

DESCRIPTION	LENGTH	ITEM#	WEIGHT
HOTCOTE ROLL Wht, Blk, Brn	1320 FT. ROLL	HC(W,B)I	70 lbs

Roll only. Hardware not included. Freight F.O.B. Rockwood, ON.

SLAROCHE.COM
1-855-728-2288

Clôture combiné



**Truly Customized Fencing!
A Great Opportunity to Save!**



"I just wanted to take the opportunity to say thank you for making such a great fence. A few weeks ago an F2 tornado, winds up to 250 km/h, touched down less than 1km from our farm. Several large trees were uprooted and fell onto our fencing during the storm and yet there was no permanent damage. Not even a post on an angle. We tightened the rails and it was like new again. I have attached some pictures to show just what your fences can withstand without damage. Thanks again!"


*Heather Lovee
Four Willows Farm - Hearst, ON*

SLAROCHE.COM
1-855-728-2288

Clôture combiné


Choosing a combination fence can work for you in different areas. 3 or 4 rails out front along the road for esthetics, 4 strand electric along the back tree lines, 1 top rail and 4 strands electric up by the barn. Various combinations can be used for different areas. Figure out the amount that you would like to spend on fencing, take your measurements for the areas of the farm to be fenced, and send the diagram to our Sales Team for a FREE quote.

- Allows you to fence within your budget
- Combine with electric as required
- Highly visible
- Safe solutions
- Unlimited combinations
- Your Choice



4.25" Flex Fence with 4 strands Coated Wire

- Flex top-line for visibility
- Economical
- Low maintenance




4.25" Flex Fence with Square Deal Wire Fence

- Excellent perimeter or predator fence
- Flex top-line for visibility
- Excellent for smaller animals




5.25" Flex Fence with 3 Strands Performance Braided Rope

- Economical
- Flex top-line for visibility
- Versatile for all disciplines
- Electric for psychological barrier



1 Strand of 1.5" Electric Tape with 4 rails of Coated Wire

- Economical - low maintenance
- Easy installation
- Electric tape for visibility and to keep horses away from fence line



4.25" Flex Fence with 2 rails of Coated Wire and 2 Strands of Performance Braided Rope

- Excellent pasture fence option
- Flex top-line for visibility
- Electric keeps horses away from fence line

Poteau de cèdre



- Eastern White Cedar
- Available for pick-up or shipped in large quantities

DESCRIPTION		LENGTH	ITEM#
4" CEDAR POST	12,50	10'	C410
5" CEDAR POST	10,95	8'	C58
6" CEDAR POST	15,00	8'	C68

RECOMMENDED POST USAGE	4"x 8'	5"x 8'	6"x 8'	6"x 10'
Coated Wire Posts	✓	✓		
Electric Braid or Rope Products	✓			
Flex Fence Corner Posts				✓
Flex Fence Rail Posts		✓		
Brace Posts	✓	✓		
Board Fence Posts			✓	

Peinture Clôture

Board fence should dry for a period of one year before painting.



Fencecoat Black is an economical acrylic lacquer coating formulated specifically for wood plank fences in the equine industry. This product dries to a tough and durable semi-gloss finish that will not brown and fade as all asphalt products will. Fencecoat Black also makes an excellent low cost barn coating with excellent adhesion and durability.

Recommended Uses

- Plank fences & posts
- Barns
- Run in sheds
- Loading areas and chutes



Performance Information

- Lacquer formulation that provides long term flexibility and durability
- 3 to 6 year durability on fences
- Will not rub off on horses or humans
- Requires no heating or thinning
- Lead-free, safe around valuable stock
- Excellent adhesion to all fence surfaces - can be applied over asphalt, creosote and CCA salt treated lumber
- Attractive semi-gloss to gloss finish

COLOUR	SIZE	ITEM#	WEIGHT
Black	5 Gal.	FB5	50 lbs
Black	55 Gal.	FB55	500 lbs

Flexcoat White is a unique elastomeric fence coating formulated specifically to eliminate the severe peeling problems associated with conventional white fence paint. Flexcoat utilizes the latest elastomeric technology to produce a coating that is almost "rubberlike" in nature. This system actually moves with the contractions and expansions of the wood to avoid cracking and eventual peeling. The 100% acrylic formulation assures superior durability and UV light resistance as well as excellent adhesion to wood substrates. Durability on fence is estimated at 60% to 100% more than standard oil based products.



Recommended Uses

- Plank fences & posts
- All types of barns
- Roofs
- Concrete
- Brick

Performance Information

- Superior flexibility and adhesion
- 100% acrylic formulation
- Superior waterproofing
- Excellent durability
- Easy soap and water clean-up
- Excellent on fences & barns requiring flexible coating



COLOUR	SIZE	ITEM#	WEIGHT
White	5 Gal.	FW5	55 lbs

SLAROCHE.COM
1-855-728-2288

Flex Fence - Installation



STEP 1
After marking your topline height, cut posts to required height, then mark the spacing of the rails.



STEP 2
Unroll fence rails beside posts.



STEP 3
Fasten one end of rail to posts, one at a time with end buckles. See below for end buckle installation.



STEP 4
Position the rails and secure in place with brackets.



STEP 5
Position the spooler approximately halfway in the fence line to a max. of 400' in a straight line.



STEP 6
Remove any excess slack in the fence rail.



STEP 7
Secure other end of rail to other end of post using end buckles. See below for end buckle installation.



STEP 8
Remove the slack from the rail until it is straight using ratchet handles and spoolers.



STEP 9
Repeat step 8 until the slack is removed and the rails are straight.



STEP 10
Now sit back and enjoy your low-maintenance fence for years to come.

END BUCKLE INSTALLATION



On the post - mark a centre hole using the buckle as a guide. Drill a 3/8" hole into the post.



Install the end buckle onto the fence - ribs away from the end post.



Insert end of rail into remaining end buckle slot & press flat against buckle. Flatten by pulling up on end of buckle & down on rail.



Attach buckle to the post with 1/2" x 5" hot dipped, galvanized lag screw and washer.



SPLICE BUCKLE INSTALLATION



Insert the rail ends into and through centre buckle slot approx. 8"



Use the Bending Tool to accurately shape the rail, creating an "M".




Insert "M" into outside slots of splice buckle and press flat against buckle.




Turn over and flatten by pushing down on both rails at the same time.

END POST ASSEMBLY #1



Bracing is the key to your fence!

END POST ASSEMBLY #2





SLAROCHE.COM
1-855-728-2288

Prix 2015



NEW 425/525 HI Impact PLUS - 2015

STOCKED IN ROCKWOOD - 525 HI Impact Plus (LIFETIME WARRANTY) and 425 HI Impact (20 YR Warranty) (

All other versions can be ordered as a special order = 4-6 week lead time in summer months

425 (4.25" W) Hi Impact Fence 3 Wire - ROLL ONLY - 20 LIMITED MANUFACTURER'S WARRANTY			Weight	Retail \$
	4HIW660	425 High Impact White 660' roll		\$635.00
	4HIBL660	425 High Impact Black 660' roll		\$635.00
	4HIBR660	425 High Impact Brown 660' roll		\$635.00
	4HIW330	425 High Impact White 330' roll - SPECIAL ORDER		\$350.00
	4HIBL330	425 High Impact PBlack 330' roll - SPECIAL ORDER		\$350.00
	4HIBR330	425 High Impact Brown 330' roll - SPECIAL ORDER		\$350.00
525 (5.25" W) Hi Impact PLUS Fence 3 Wire - ROLL ONLY - LIFETIME LIMITED MANU. WARRANTY			Weight	Retail \$
	5HIWP660	525 High Impact PLUS White 660' roll		\$759.00
	5HBLP660	525 High Impact PLUS Black 660' roll		\$759.00
	5HIBRP660	525 High Impact PLUS Brown 660' roll		\$759.00
	5HIWP330	525 High Impact PLUS White 330' roll - SPECIAL ORDER		\$419.00
	5HIBLP330	525 High Impact PLUS Black 330' roll - SPECIAL ORDER		\$419.00
	5HIBRP330	525 High Impact PLUS Brown 330' roll - SPECIAL ORDER		\$419.00

INTRODUCED IN SPRING 2012- HI PERFORMANCE PLUS

4" (3.75") Performance PLUS Flex Fence 3 Wire - ROLL ONLY - LIFETIME LIMITED MANU. WARRANTY			Weight	Retail \$
SPECIAL ORDER ONLY - 6-8 WEEK LEAD TIME				
	4HPPW660	4" HI Performance Plus Flex Fence 3 Wire White 660ft	120	\$659.00
	4HPPBL660	4" HI Performance Plus Flex Fence 3 Wire Black 660ft	120	\$659.00
	4HPPBR660	4" HI Performance Plus Flex Fence 3 Wire Brown 660ft	120	\$659.00
	4HPPW330	4" HI Performance Plus Flex Fence 3 Wire White 330ft	60	\$379.00
	4HPPBL330	4" HI Performance Plus Flex Fence 3 Wire Black 330ft	60	\$379.00
	4HPPBR330	4" HI Performance Plus Flex Fence 3 Wire Brown 330ft	60	\$379.00
5" (4.75") Performance PLUS Flex Fence 3 Wire - ROLL ONLY - LIFETIME LIMITED MANU. WARRANTY			Weight	Retail \$
SPECIAL ORDER ONLY - 6-8 WEEK LEAD TIME				
	5HPPW660	5" HI Performance Plus Flex Fence 3 Wire White 660ft	142	\$799.00
	5HPPBL660	5" HI Performance Plus Flex Fence 3 Wire Black 660ft	142	\$799.00
	5HPPBR660	5" HI Performance Plus Flex Fence 3 Wire Brown 660ft	142	\$799.00
	5HPW330	5" HI Performance Plus Flex Fence 3 Wire White 330ft	71	\$449.00
	5HPBL330	5" HI Performance Plus Flex Fence 3 Wire Black 330ft	71	\$449.00
	5HPBR330	5" HI Performance Plus Flex Fence 3 Wire Brown 330ft	71	\$449.00

FLEX FENCE (HORSE RAIL) - 3 WIRE ORIGINAL FLEX

4" Flex Fence 3 Wire - ROLL ONLY - 30 YEAR LIMITED MANU. WARRANTY			Weight	Retail \$
SPECIAL ORDER ONLY - 6-8 WEEK LEAD TIME				
	4FR660W	4" - 3 Wire Flex Rail White 660'	110	\$659.00
	4FR660BL	4" - 3 Wire Flex Rail Black 660'	110	\$659.00
	4FR660BR	4" - 3 Wire Flex Rail Brown 660'	10	\$659.00
	4FRW330	4" - 3 Wire Flex Rail White 330'	55	\$379.00
	4FRBL330	4" - 3 Wire Flex Rail Black 330'	55	\$379.00
	4FRBR330	4" - 3 Wire Flex Rail Brown 330'	55	\$379.00
5" Flex Fence 3 Wire - ROLL ONLY - 30 YEAR LIMITED MANU. WARRANTY			Weight	Retail \$
SPECIAL ORDER ONLY - 6-8 WEEK LEAD TIME				
	5FRW660	5" - 3 Wire Flex Rail White 660'	150	\$799.00
	5FRBL660	5" - 3 Wire Flex Rail Black 660'	150	\$799.00
	5FRBR660	5" - 3 Wire Flex Rail Brown 660'	150	\$799.00
	5FRW330	5" - 3 Wire Flex Rail White 330'	75	\$449.00
	5FRBL330	5" - 3 Wire Flex Rail Black 330'	75	\$449.00
	5FRBR330	5" - 3 Wire Flex Rail Brown 330'	75	\$449.00


SLAROCHE.COM

1-855-728-2288

Prix 2015

FLEX FENCE - HI IMPACT ACCESSORIES -CAN BE USED WITH ALL VARIETIES OF FLEX

Flex Brackets - Screws or Nails Sold Separately

	4BW	4" Bracket White	0.25	\$1.89
	4BBL	4" Bracket Black	0.25	\$1.89
	4BBR	4" Bracket Brown	0.25	\$1.89
	5BW	5" Bracket White	0.3	\$1.99
	5BBL	5" Bracket Black	0.3	\$1.99
	5BBR	5" Bracket Brown	0.3	\$1.99


High Impact Flex End Buckles - All Fasteners Included

	4HPEBW	4" HP End Buckle White	0.85	\$10.95
	4HPEBBL	4" HP End Buckle Black	0.85	\$10.95
	4HPEBBR	4" HP End Buckle Brown	0.85	\$10.95
	5HPEBW	5" HP End Buckle White	1	\$10.95
	5HPEBBL	5" HP End Buckle Black	1	\$10.95
	5HPEBBR	5" HP End Buckle Brown	1	\$10.95

HighImpact Flex End Tensioners- All Fasteners Included

	4HPETW	4" HP End Tensioner White	2.85	32.95
	4HPETBL	4" HP End Tensioner Black	2.85	32.95
	4HPETBR	4" HP End Tensioner Brown	2.85	32.95
	5HPETW	5" HP End Tensioner White	3.15	32.95
	5HPETBL	5" HP End Tensioner Black	3.15	32.95
	5HPETBR	5" HP End Tensioner Brown	3.15	32.95


High Impact Flex Splice Buckles

	4HPSW	4" HP Splice Buckle White	0.8	\$16.75
	4HPSBBL	4" HP Splice Buckle Black	0.8	\$16.75
	4HPSBBR	4" HP Splice Buckle Brown	0.8	\$16.75
	5HPSBW	5" HP Splice Buckle White	0.95	\$16.75
	5HPSBBL	5" HP Splice Buckle Black	0.95	\$16.75
	5HPSBBR	5" HP Splice Buckle Brown	0.95	\$16.75





Flex (Horse Rail) Spoolers






	4SW	4" Spooler White	1.4	\$21.75
	4SBL	4" Spooler Black	1.4	\$21.75
	4SBR	4" Spooler Brown	1.4	\$21.75
	5SW	5" Spooler White	1.55	\$21.75
	5SBL	5" Spooler Black	1.55	\$21.75
	5SBR	5" Spooler Brown	1.55	\$21.75






Flex (Horse Rail) Inside Corner Brackets

	4ICW	4" Inside Corner Bracket White	0.5	\$7.95
	4ICBL	4" Inside Corner Bracket Black	0.5	\$7.95
	4ICBR	4" Inside Corner Bracket Brown	0.5	\$7.95
	5ICW	5" Inside Corner Bracket White	0.75	\$8.50
	5ICBL	5" Inside Corner Bracket Black	0.75	\$8.50
	5ICBR	5" Inside Corner Bracket Brown	0.75	\$8.50

Prix 2015

Single Strand Raceline Wire 1/4" Black - 1320'			Weight	Retail \$
	SSRW1320	Single Strand Raceline Wire 1/4" White - 1320'	70	\$279.00
	SSRBL1320	Single Strand Raceline Wire 1/4" Black - 1320'	70	\$279.00
	SSRBR1320	Single Strand Raceline Wire 1/4" Brown - 1320'	70	\$279.00
Staples			Weight	Retail \$
	9-486	Staples Barbed per lb	1	\$4.50
End Fence Tensioner			Weight	Retail \$
	9-672	Tensioner w/3.5" Nail	0.4	\$4.15
Wire Link			Weight	Retail \$
	9-686	Wire Link 12.5 ga.	0.05	\$4.58

1" Flex Rail - Roll Only			Weight	Retail \$
	1FRW660	Flex Rail 1" 660' White	47	\$239.00
	1FRBL660	Flex Rail 1" 660' Black	47	\$239.00
	1FRBR660	Flex Rail 1" 660' Brown	47	\$239.00
1" Staples for 1" Flex Rail			Weight	Retail \$
	1BW	1" Staple Galvanized - 56/Bag	1.6	15.65/Bg
2 Hole End Fence Tensioners			Weight	Retail \$
	TEN2H	Tensioner (Fencing) 2 Hole for 1" Flex	0.4	\$4.15
Wire Link			Weight	Retail \$
	9-686	Wire Link 12.5 ga.	0.05	\$4.58
Wire Vise			Weight	Retail \$
	9-688	Wire Vise	0.05	\$3.50

Shockline Electric - Roll Only			Weight	Retail \$
	HSW	Shockline White 1320'	47	\$289.00
	HSBL	Shockline Black 1320'	47	\$289.00
	HSBR	Shockline Brown 1320'	47	\$289.00
100ft Rolls on Insulator Tubing			Weight	Retail \$
	9-286	Insulator Hote Cote Tube 100/ft white	1.5	\$23.00
	9-288	Insulator Hote Cote Tube 100/ft black	1.5	\$23.00
	9-290	Insulator Hote Cote Tube 100/ft brown	1.5	\$23.00
4" Tube Insulators			Weight	Retail \$
	9-284	Insulator 4" Tube White 100/bag	2	\$16.95
	9-280	Insulator 4" Tube Black 100/bag	2	\$16.95
	9-282	Insulator 4" Tube Brown 100/bag	2	\$16.95
Inline Tensioners			Weight	Retail \$
	9-676	Tensioners In-Line (W/Spring)	0.05	\$5.50
Crimp Sleeves			Weight	Retail \$
	9-692	Crimp Sleeves 100/bag	0.05	\$20.00

Barrière Légère Tube



GATE USAGE	RECOMMENDED
1/2 Ton Truck	10'
Feed Truck	12'
Hay Equipment	16'
Combine Equipment	16'
Garden Tractor	6'
Bush Hog	8'
Horse Turnout Gate	6'
Person Gate	4'

- 1 5/8" pre-galvanized steel tubing with unique no-weld design
- Gates measure actual size
- As strong as a welded gate without areas prone to rust
- 48" height with 6 rails & continuous centre supports
- Galvanized or optional black powder coating
- Made in 2" increments from 4' to 16'
- Custom and Larger sizes also available
- Requires 2 - 3/4" x 12" hinge bolts, sold separately

**Sans
soudure
Pas de
rouille**

SIZE	FINISH	ITEM#	
4' Gate	Galvanized or Black	04004R(GS,S)	37 lbs
6' Gate	Galvanized or Black	04006R(GS,S)	48 lbs
8' Gate	Galvanized or Black	04008R(GS,S)	65 lbs
10' Gate	Galvanized or Black	04010R(GS,S)	85 lbs
12' Gate	Galvanized or Black	04012R(GS,S)	95 lbs
14' Gate	Galvanized or Black	04014R(GS,S)	110 lbs
16' Gate	Galvanized or Black	04016R(GS,S)	120 lbs

Barrière Légère Quadriillé



- Mesh Gates are 48" tall & measure actual size
- 2" x 2" Heavy duty wire mesh with 1 5/8" round tube frame
- Requires 2 - 3/4" x 12" hinge bolts, sold separately
- Galvanized or optional black powder coating
- Custom sizes also available

SIZE	FINISH	ITEM#	WEIGHT
4' Gate	Black or Galvanized	04MG04(G)	48 lbs
6' Gate	Black or Galvanized	04MG06(G)	65 lbs
8' Gate	Black or Galvanized	04MG08(G)	88 lbs
10' Gate	Black or Galvanized	04MG10(G)	108 lbs
12' Gate	Black or Galvanized	04MG12(G)	126 lbs
14' Gate	Black or Galvanized	04MG14(G)	144 lbs
16' Gate	Black or Galvanized	04MG16(G)	162 lbs

2-Way Locking Gate Latch

- Fits gates with 1 5/8" - 2" O.D. round tube
- Latch will release to allow gate to swing either direction
- One-handed operation
- Prevents gate end from sagging or swinging
- Can be opened from horse-back

Item# TWLL - 4lbs

1-Way Gate Latch

- Fits gates with 1 5/8" - 2" O.D. round tube
- Durable & Safe
- One hand operation
- Prevents gates from sagging
- One way latch kit
- Can be opened from horse-back

Item# OWR158 - 2lbs

Quick Latch

This unique latch is designed to withstand incredible abuse.

- Rust proof
- Never freezes
- Opens with ease on horseback or off with one hand.
- Comes with chain

Item# LL

Gate Latch

Heavy Duty gate latch designed to fit on round posts or welded to steel posts.

Item# 04-46 - 1lb

Gate Latch

Heavy Duty gate latch designed to be surface or corner mounted.

Item# 04-1510 - 1lb

SLAROCHE.COM
1-855-728-2288

BARRIÈRE LÉGÈRE TUBE

* NON INCLUS - CLENCHE & ATTACHE

# ITEM	DESCRIPTION	GRANDEUR	PRIX
04004RGS	GALVANISÉ	4 PIEDS	105,00
04006RGS	GALVANISÉ	6 PIEDS	114,00
04008RGS	GALVANISÉ	8 PIEDS	131,00
04010RGS	GALVANISÉ	10 PIEDS	149,00
04012RGS	GALVANISÉ	12 PIEDS	178,00
04014RGS	GALVANISÉ	14 PIEDS	210,00
04016RGS	GALVANISÉ	16 PIEDS	270,00
04004RS	PEINTURÉ NOIR	4 PIEDS	119,00
04006RS	PEINTURÉ NOIR	6 PIEDS	129,00
04008RS	PEINTURÉ NOIR	8 PIEDS	165,00
04010RS	PEINTURÉ NOIR	10 PIEDS	190,00
04012RS	PEINTURÉ NOIR	12 PIEDS	225,00
04014RS	PEINTURÉ NOIR	14 PIEDS	265,00
04016RS	PEINTURÉ NOIR	16 PIEDS	299,00
** PEINTURE " POWDER COAT " RÉSISTANT **			



BARRIÈRE LÉGÈRE QUADRILLÉ

* NON INCLUS - CLENCHE & ATTACHE

# ITEM	DESCRIPTION	GRANDEUR	PRIX
04MG04G	GALVANISÉ	4 PIEDS	200,00
04MG06G	GALVANISÉ	6 PIEDS	227,00
04MG08G	GALVANISÉ	8 PIEDS	260,00
04MG10G	GALVANISÉ	10 PIEDS	305,00
04MG16G	GALVANISÉ	12 PIEDS	325,00
04MG14G	GALVANISÉ	14 PIEDS	400,00
04MG16G	GALVANISÉ	16 PIEDS	460,00
04MG04	PEINTURÉ NOIR	4 PIEDS	190,00
04MG06	PEINTURÉ NOIR	6 PIEDS	209,00
04MG08	PEINTURÉ NOIR	8 PIEDS	242,00
04MG10	PEINTURÉ NOIR	10 PIEDS	300,00
04MG12	PEINTURÉ NOIR	12 PIEDS	315,00
04MG14	PEINTURÉ NOIR	14 PIEDS	380,00
04MG16	PEINTURÉ NOIR	16 PIEDS	410,00
** PEINTURE " POWDER COAT " RÉSISTANT **			



Barrière Galvanisé Économique

New!



- Economic, lightweight gate option
- Perfect for fencing pastures, orchards, and gardens
- 6 bar, 1-3/4" round high-tensile strength galvanized tubing
- Gates come with hinges, hinge pins and 22" snap chain.
- All gates are 3" shorter than listed length to allow for gate hardware and proper clearance, 50" high
- Recommended for light confinement only

SIZE	FINISH	ITEM#	WEIGHT
4' Economy Gate	Galvanized	04-2EG004	18 lbs
6' Economy Gate	Galvanized	04-2EG006	26 lbs
8' Economy Gate	Galvanized	04-2EG008	35 lbs
10' Economy Gate	Galvanized	04-2EG010	43 lbs
12' Economy Gate	Galvanized	04-2EG012	51 lbs
14' Economy Gate	Galvanized	04-2EG014	60 lbs
16' Economy Gate	Galvanized	04-2EG016	68 lbs

Système Roulant

New!



- Turn your hard to operate, heavy swing gate into a smooth opening rolling gate
- Easy one person operation
- Won't swing away or get bent in the wind
- Can get a bigger opening in a smaller space (12' of gate requires 12' x 180 degree area to open fully)
- Safer for animal and especially handler
- Fits any round tube gate, ideal for standard 1 5/8" diameter tubing
- Comes in a kit, easy to install on any fence
- Hot dipped galvanized and polyethylene plastic rollers
- Gate sold separately

Note: You will require 4' extra of gate per opening (ie. 8' opening requires a 12' gate). Kit comes with hardware, lumber and gate not included.

DESCRIPTION	FINISH	ITEM#	WEIGHT
4' Rolling Gate Kit	Galvanized	04-RGK	55 lbs



Spring Loaded Bolt Latch
Can be mounted to most gate styles. Must drill holes to mount.
Item# 04-SBL - 3lbs



Hinge Bolts - 3/4" x 12"
Galvanized Bolts go all the way through 7-8" post. Extra strong to hold heavier gates.
Drill hole size 7/8" in post.
Item# HBG - 5lbs/pair



Gate Anchor
• Holds gate in any open position
• Prevents gate end from sagging or swinging
• May also be used horizontally as a slide latch
• Makes daily chores easier
• Anchor pins
Item# SS-1 - 3lbs



Adjustable Bolt-On Wheel Kit
• Easily bolts to gates
• Supports end of gate to prevent damage to hinges.
• Usually used on large span gates
Item# 04-GWK - 15lbs



Gate Wheel
• Fits ALL gates with round tubing from 1 5/8" to 2" diameter.
• The installed wheel will prevent the gate end from sagging. Gate will roll open and close with ease.
Note: Uneven ground may cause gate and wheel to rise off ground.
Item# GW-1 - 3lbs

SLAROCHE.COM
1-855-728-2288

BARRIÈRE GALVANISÉ ÉCONOMIQUE

* NON INCLUS - CLENCHE & ATTACHE

# ITEM	DESCRIPTION	GRANDEUR	PRIX
04-2EG004	GALVANISÉ	4 PIEDS	99,00
04-2EG006	GALVANISÉ	6 PIEDS	109,00
04-2EG008	GALVANISÉ	8 PIEDS	129,00
04-2EG010	GALVANISÉ	10 PIEDS	149,00
04-2EG012	GALVANISÉ	12 PIEDS	169,00
04-2EG014	GALVANISÉ	14 PIEDS	189,00
04-2EG016	GALVANISÉ	16 PIEDS	199,00



Barrière Automatique



FARM, COMMERCIAL & RESIDENTIAL

Safety and security are important factors in today's world. All farms should have front entrance gates for both the security of the livestock that are housed inside as well as the security and peace of mind it provided from intruders from the outside world. In combination with Total Gate, System Fencing is supplying some of the best product and quality of gates in the marketplace. All entrance gates are made of heavy wall aluminum and then powder coated for an attractive finish. Gates come pre-fitted with all of the electronics and hinges pre mounted so installation is a breeze.

- Traditional or modern design
- Build with aluminum, ferrous metals, wood and/or glass
- Masonry columns or stand-alone posts
- Custom pivot hinges with sealed roller bearings
- Perfectly synchronized gate, motors, posts, and access control.
- Turnkey systems or any part of your gate project
- Any finish colour available
- Full design service
- Lifetime warranty on our gates

Call for more information and to receive a no obligation quote on your automatic driveway gate system.



WHY OUR GATES FUNCTION & LOOK LIKE NEW LONGER...

Total gate builds beautiful and functional gates. They start every gate system design from a structural template that they guarantee for as long as you own the gate. That means that if you have them plan your site, build your gate and provide the automation equipment, your gate will look like new for years, operate like new for years, and not cost you time and money on service and maintenance. Total Gate is focused on building a brilliant gate system and offering a product that exceeds the industry standard in every way.

SYSTEM TIP

Make sure that you have your gate far enough back from the road that you can get both your truck and trailer off the road while the gate opens.

Never put your gate on a section of driveway with a turn in it.

Most farm gates are made 14' to 16' wide, making it a double gate application.



Round Pen



- Safer, 90° joints eliminates pinching
- 16 gauge 1 5/8" diameter tubing
- Quick easy drop pin connection
- Easily set-up on uneven ground due to the drop pin design
- Versatile - Can be used as 12' box stall, quarantine stall or rehabilitation stall
- Spring loaded latch on gate
- Centre support bar for added strength
- 6' tall, safer for taller or excitable horses
- Optional Full Gate Panel with spring loaded latch - can be used as a stall door, round pen panel or temporary paddock entrance
- Available in hot dipped galvanized or powder coated finish

50' ROUND PEN

PANEL SIZE	#OF PANELS	WEIGHT	FINISH	ITEM #
8'	20	1425 lbs	Galvanized or Painted	04-50RP(G8,P8)
10'	16	1370 lbs	Galvanized or Painted	04-50RP(G10,P10)
12'	13	1295 lbs	Galvanized or Painted	04-50RP(G12,P12)

60' ROUND PEN

PANEL SIZE	#OF PANELS	WEIGHT	FINISH	ITEM #
8'	24	1710 lbs	Galvanized or Painted	04-60RP(G8,P8)
10'	19	1625 lbs	Galvanized or Painted	04-60RP(G10,P10)
12'	16	1595 lbs	Galvanized or Painted	04-60RP(G12,P12)

NOTE: Sizes are approximate. Quantities include one gate 6' wide X 8' high. Pen diameters will vary depending on size of gate. One connection pin is included with each panel.

COMPARE THE WEIGHT 60' ROUND PEN WITH 12' PANELS

SYSTEM	BEHLEN	HI-QUAL	JOHN LYONS
1600 lbs	1360 lbs	1440 lbs	1440 lbs

SYSTEM TIP

Individual round pen panels can be purchased separately for temporary stalls, divisions, quarantine areas, etc.



SLAROCHE.COM
1-855-728-2288

ROUND PEN GALVANISÉ 50' DIAMÈTRE

# ITEM	DESCRIPTION	GRANDEUR	PRIX	# DE BARRIÈRE(INCLUS 1 PORTE)
04-50RPG8	GALVANISÉ	8 PIEDS	4 448,00	20
04-50RPG10	GALVANISÉ	10 PIEDS	4 117,00	16
04-50RPG12	GALVANISÉ	12 PIEDS	3 800,00	13

ROUND PEN GALVANISÉ 60' DIAMÈTRE

# ITEM	DESCRIPTION	GRANDEUR	PRIX	# DE BARRIÈRE(INCLUS 1 PORTE)
04-60RPG8	GALVANISÉ	8 PIEDS	5 329,00	24
04-60RPG10	GALVANISÉ	10 PIEDS	4 888,00	19
04-60RPG12	GALVANISÉ	12 PIEDS	4 500,00	16




Round Pen



- Excellent - Affordable for Training
- Quick & easy setup
- High-mount latch for easy opening
- Great for transporting as well as stationary placement
- 9' high gate panel with arch x 6' wide
- Chain connection
- 5' high panels x 12' long
- Lightweight panels
- Powder coated gray

DESCRIPTION	ITEM #	WEIGHT
HORSE CORRAL PANEL 5'H x 12'L Gray	04-HCP512	56 lbs.
HORSE CORRAL GATE 5'H x 6'W x 9' Arch Gray	04-HCPG6	75 lbs.
COMPLETE ROUND PEN		
PEN SIZE	#OF PANELS	TOTAL WEIGHT
50' ROUND PEN	13	795 lbs.
60' ROUND PEN	16	975 lbs.
NOTE: Sizes are approximate. Quantities and pricing include one gate 6' wide X 9' high. Pen diameters will vary depending on size of gate.		

Round Pen Économique



- Perfect for light-duty needs
- Straight end-post construction for no gaps
- Superior finish for longer life
- 1.5" tubing
- Affordable option, easy to handle and manoeuvre
- 5-bar , 10ft long and 62" high
- Drop-pin hookup makes setup easy and quick
- Loop legs to prevent sinking
- 4ft gate panel

SYSTEM TIP

Most round pens are 50'-60' in diameter to allow the horse to bend and achieve proper balance at the walk, trot (jog), and canter (lope).



DESCRIPTION	WEIGHT	ITEM #
10ft Valu Line Corral Panel (Red)	31 lbs	04-2VCP10
4ft Valu-Line 5 bar Walkthru (Red)	41 lbs	04-2VLG4
COMPLETE ROUND PEN		
PEN SIZE	#OF PANELS	TOTAL WEIGHT
50' ROUND PEN	16	505 lbs.
60' ROUND PEN	19	599 lbs.
NOTE: Sizes are approximate. Quantities include one gate panel (4').		

SLAROCHE.COM
1-855-728-2288

ROUND PEN PEINTURÉ GRIS / PANNEAU

# ITEM	DESCRIPTION	GRANDEUR	PRIX
04-HCP512	BARRIÈRE	12 PIEDS	159,00
04-HCPG6	PORTE	6 PIEDS	249,00

** PEINTURE " POWDER COAT " RÉSISTANT **



ROUND PEN ÉCONOMIQUE PEINTURÉ / PANNEAU

# ITEM	DESCRIPTION	GRANDEUR	PRIX
04-2VCP10	BARRIÈRE	10 PIEDS	99,00
04-2VLG4	PORTE	4 PIEDS	150,00



Mangeoire & Bassin



FEEDERS: When choosing a feeder, consider your horse's needs while also making your feeding chores easier. What size do you need? Will the feeder be easy for you to fill? Remember to place your feeder in an area that is easily accessible all year round - when the snow flies, drafts may build making driving a tractor more difficult.

If you do not see the product that you need, give us a call!



Fence Feeder
Available in various colours.
Item #: 16-550




Portable Gate Feeder
Small - 18.5" wide
Item #: 16-516
Large - 29" wide
Item #: 16-515



18 qt. Duraflex Fence Feeder
All rubber for flexibility. Resists freezing. Absorbs shock. Item #: 16-518



A. 5' Galvanized Hay Rack
Consider this mounted hay rack for your Run-In Sheds. Mounts easily to walls. Holds approx. 1/2 bale of hay. 12" deep, 27" high, 60" long, 30 lbs. Item #: 16-817



B. Tombstone Roundbale Hay Feeder
3 piece feeder. Easy to relocate. 6' 6" diameter, 54" high, 30" base
Item #: 16-808
6' 6" diameter, 45" high, 20" base
Item #: 16-810



C. Galvanized Roundbale Hay Feeder
3 piece feeder. Easy to relocate. 8' diameter, 50" high, 17" base, 190 lbs. Item #: 16-8031



D. Equine Hay Basket
Natural feeding position. Keeps hay dry and off the ground. Smooth poly basket. 64" diameter, 34" high, 80 lbs. Item #: 16-801



E. Equine Hay Half-Basket
For fence line feeding. Sheet metal backing against fence for ease of mounting and sturdiness. 64" diameter, 35" high, 84 lbs. Item #: 16-8010



F. Hay Optimizer
Durable and portable. Reduces parasites by keeping feed off the ground. Less waste. 44" deep, 44" wide, 32" high. Item #: 19-105



G. 5' Bunk Feeder w/ Hay Rack
Keep both hay and feed dry and off the ground. 5' wide. Item #: 16-806

H. Oval Water Tanks

100% Recycled Low Density Polyethylene. Heavy Duty - Impact Resistant. Smooth Edges. No Rust.
110 Gal Tank w/ Plug
Item #: 603083
85 Gal Tank w/ Plug
Item #: 603084
40 Gal Tank
Item #: 603082



I. Galvanized Water Tanks

Heavy-duty zinc G90 coating withstands harsh weather conditions. 4-ply, double-lock bottom. Unmatched quality.
169 Gal Tank - 6'x2'x2', 63 lbs.
Item #: 603091
100 Gal Tank - 4'x2'x2', 46 lbs.
Item #: 603090



Heated Water Buckets

Keeps water from freezing in the winter time. Thermostatically controlled. Colour may vary.
5 Gallon Heated Bucket
Item# 70-22 - 8 lbs
16 Gallon Heated Bucket
Item# 70-23 - 11 lbs



Heated Hoses

No more frozen water hoses in the winter!
Item# 70-226 (40')
Item# 70-227 (60')



K&H De-Icer

Floating water tank de-icer. Can be easily changed to a sinking de-icer.
Item# 70-220 (1500 watt)
Item# 70-2230 (750 watt)

MANGEOIRE À FOIN

# ITEM	DESCRIPTION	GRANDEUR	PRIX
16-817	# A	5 PIEDS	119,00
16-810	# B	6' 6"	525,00
16-8031	# C	8 PIEDS	435,00
16-801	# D	64 POUCES	469,00
19-105	# F	44" X 4' X 32"	699,00
16-806	# G	5 PIEDS	419,00



****Tous les prix sont sujet à changement sans préavis ****

****Transport en sus ****

Appelez-nous pour votre
soumission selon vos besoins



adm@slaroche.com



S L A R O C H E . C O M

(418) 728 -2288 | 1-855-728-2288